PORTAL
USPTO

Search: ⦿ The ACM Digital Library   ○ The Guide

version and method and override

THE ACM DIGITAL LIBRARY

⠟ Feedback Report a problem Satisfaction survey

Terms used **version** and **method** and **override**   Found **51,839** of **161,645**

Sort results by   [relevance ▼]   ◆ Save results to a Binder

Display results   [expanded form ▼]   ? Search Tips

☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 161 - 180 of 200   Result page: previous 1 2 3 4 5 6 7 8 **9** 10 next
Best 200 shown   Relevance scale ☐ ▭ ▬ ▰ ▰

161 Sealed calls in Java packages

Ayal Zaks, Vitaly Feldman, Nava Aizikowitz
October 2000 **ACM SIGPLAN Notices , Proceedings of the 15th ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications**, Volume 35 Issue 10

Full text available: 📄 pdf(192.57 KB)   Additional Information: full citation, abstract, references, citings, index terms

Determining the potential targets of virtual method invocations is essential for inter-procedural optimizations of object-oriented programs. It is generally hard to determine such targets accurately. The problem is especially difficult for dynamic languages such as Java, because additional targets of virtual calls may appear at runtime. Current mechanisms that enable inter-procedural optimizations for dynamic languages, repeatedly validate the optimizations at runtime. This paper addresses this ...

Keywords: Java, call devirtualization, call graph, class hierarchy graph, inter-procedural analysis, method inlining, object-oriented programming, sealed package

162 Rendering II: Subband encoding of high dynamic range imagery

Greg Ward, Maryann Simmons
August 2004 **Proceedings of the 1st Symposium on Applied perception in graphics and visualization APGV '04**

Full text available: 📄 pdf(1.14 MB)   Additional Information: full citation, abstract, references, index terms

The transition from traditional 24-bit RGB to high dynamic range (HDR) images is hindered by excessively large file formats with no backwards compatibility. In this paper, we propose a simple approach to HDR encoding that parallels the evolution of color television from its grayscale beginnings. A tone-mapped version of each HDR original is accompanied by restorative information carried in a subband of a standard 24-bit RGB format. This subband contains a compressed *ratio image*, which whe ...

Keywords: high dynamic range image formats, image processing, lossy compression

163 Network objects

Andrew Birrell, Greg Nelson, Susan Owicki, Edward Wobber
December 1993 **ACM SIGOPS Operating Systems Review , Proceedings of the**

Subscribe (Full Service)   Register (Limited Service, Free)   Login

Search: ⦿ The ACM Digital Library   ○ The Guide

version and method and overload and resolution and invoke an

THE ACM DIGITAL LIBRARY

ℬ͠ Feedback Report a problem Satisfaction survey

Terms used
version and **method** and **overload** and **resolution** and **invoke** and **override**

Found **46,887** of **161,645**

Sort results by | relevance ▼ |

Display results | expanded form ▼ |

◆ Save results to a Binder
⬚ Search Tips
☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 41 - 60 of 200   Result page: previous 1 2 **3** 4 5 6 7 8 9 10 next
Best 200 shown   Relevance scale ☐ ⬜ ◪ ◼ ◼

41 An experimental object-based sharing system for networked databases
Doug Fang, Shahram Ghandeharizadeh, Dennis McLeod
April 1996 **The VLDB Journal — The International Journal on Very Large Data Bases**,
Volume 5 Issue 2
Full text available: 📄 pdf(195.97 KB)   Additional Information: full citation, abstract, index terms

An approach and mechanism for the transparent sharing of objects in an environment of interconnected (networked), autonomous database systems is presented. An experimental prototype system has been designed and implemented, and an analysis of its performance conducted. Previous approaches to sharing in this environment typically rely on the use of a global, integrated conceptual database schema; users and applications must pose queries at this new level of abstraction to access remote informatio ...

Keywords: Database system interoperability, Experimental prototype benchmarking, Object sharing

42 Dynamic compilation techniques: Inlining java native calls at runtime
Levon Stepanian, Angela Demke Brown, Allan Kielstra, Gita Koblents, Kevin Stoodley
June 2005 **Proceedings of the 1st ACM/USENIX international conference on Virtual execution environments**
Full text available: 📄 pdf(416.42 KB)   Additional Information: full citation, abstract, references, index terms

We introduce a strategy for inlining native functions into Java™ applications using a JIT compiler. We perform further optimizations to transform inlined *callbacks* into semantically equivalent lightweight operations. We show that this strategy can substantially reduce the overhead of performing JNI calls, while preserving the key safety and portability properties of the JNI. Our work leverages the ability to store statically-generated IL alongside native binaries, to facilitate nati ...

Keywords: JIT compilation, JNI, Java, inlining, native code

43 Mixin modules
Dominic Duggan, Constantinos Sourelis
June 1996 **ACM SIGPLAN Notices , Proceedings of the first ACM SIGPLAN international conference on Functional programming**, Volume 31 Issue 6

Refine Search

Search Results -

Terms	Documents
version$ near9 (support$ or manag$) and object oriented and overload$ and inherit$	0

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L22

[Refine Search]

[Recall Text]   [Clear]   [Interrupt]

Search History

DATE: Tuesday, September 20, 2005   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=TDBD; PLUR=YES; OP=ADJ		
L22	version$ near9 (support$ or manag$) and object oriented and overload$ and inherit$	0	L22
	DB=DWPI; PLUR=YES; OP=ADJ		
L21	version$ near9 (support$ or manag$) and object oriented and overload$ and inherit$	0	L21
	DB=JPAB; PLUR=YES; OP=ADJ		
L20	version$ near9 (support$ or manag$) and object oriented and overload$ and inherit$	0	L20
	DB=EPAB; PLUR=YES; OP=ADJ		
L19	version$ near9 (support$ or manag$) and object oriented and overload$ and inherit$	0	L19
	DB=USOC; PLUR=YES; OP=ADJ		
L18	version$ near9 (support$ or manag$) and object oriented and overload$ and	0	L18

inherit$

DB=PGPB; PLUR=YES; OP=ADJ

L17	L16 and overrid$ and (No$ near4 overrid$)	0	L17
L16	L15 and (method$ near4 invo$)	152	L16
L15	version$ near9 (support$ or manag$) and object oriented and overload$ and inherit$	167	L15

DB=USPT; PLUR=YES; OP=ADJ

L14	l9 and l12	4	L14
L13	l9 and l11	0	L13
L12	707/203.ccls.	1044	L12
L11	717/168,169,170.ccls.	496	L11
L10	L9 and (no$ near4 overr$)	5	L10
L9	L8 and (method$ near4 invo$)	93	L9
L8	L7 and inherit$	112	L8
L7	L5 and overload$	183	L7
L6	L5 and (overload$ near4 resol$)	0	L6
L5	L2 and object oriented	1205	L5
L4	L2 and object oriented and (overload$ near4 resol$)	0	L4
L3	L2 and inherit$ and (overload$ near4 resol$)	0	L3
L2	version$ near9 (support$ or manag$)	8847	L2
L1	version$ near9 (support$ or manag$) and first method and second method and inherit$ and (overload$ near4 resol$)	0	L1

END OF SEARCH HISTORY